

# INDEX MAPS.

## T. 2N, R. 5E. 2<sup>nd</sup> Mer.

	247-249	247-249	247-249	248	248	248
251	6	275 5	269 4	264 3	260 2	255 1 247
	275	274	268	264	259	255
251	7	274 8	268 9	263 10	259 11	254 12 246
	273	273	267	263	259	254
250	18	273 17	267 16	263 15	258 14	254 13 246
	272	272	267	262	258	253
250	19	272 20	266 21	262 22	257 23	253 24 246
	271	271	266	261	257	253
250	30	270 29	265 28	261 27	256 26	252 25 245
	270	269	265	261	256	252
249	31	269 32	264 33	260 34	256 35	251 36 245
	243-245	243-244	243-244	243-244	243-244	243-244

## T. 3N, R. 5E. 2<sup>nd</sup> Mer.

	283-284	283-284	283-284	283-285	283-285	283-285
287	6	313 5	306 4	301 3	296 2	292 1 283
	312	312	305	301	296	291
287	7	312 8	305 9	300 10	296 11	291 12 282
	311	311	305	300	295	290
286	18	310 17	304 16	299 15	295 14	290 13 282
	310	309	304	299	294	290
286	19	309 20	303 21	299 22	294 23	289 24 281
	308	308	303	298	294	289
286	30	307 29	302 28	298 27	293 26	288 25 281
	308	307	302	298	293	288
285	31	306 32	301 33	297 34	292 35	287 36 281
	279-281	279-280	279-280	279-280	279-280	279

The figures on the lines refer to the page.

Township N. 3 North, of Range N. 5 East T. Mer. Indiana

South Boundary

East On Rand<sup>m</sup>. S. boundary of Sec 31, T3 N. R5 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post. Good level farming land

East On Rand<sup>m</sup>. S. boundary of Sec. 32, T3 N. R5 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post. Land ge. same as last mile

East On Rand<sup>m</sup>. S. boundary of Sec. 33, T3 N. R5 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post. This mile over-knobs  
very high hills

East On Random S. boundary of Sec. 34, T3 N. R5 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

60.00 a Brook 20 lks. wide Course North

80.00 Set temp<sup>y</sup>. Sec. post. Land and ge. same last mile

East On Random S. boundary of Sec. 35, T3 N. R5 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post. Land ge. same

East On Random S. boundary of Sec. 36, T3 N. R5 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

82.84 Intersected the N & S line 15 lks. S. of Town Corner  
Corner. Land the same very Hilly

West On true line S. boundary of S. 36, T3 N. R5 E.

40.00 Set the q<sup>t</sup>. Sec. post on true line, from which  
a B. Oak 10 in. dia. bears N 55 W lks. dist. of  
a do 8 " " " S 6 W 12 " "

80.00 Set a post Cor. to Sec. 35 & 36, T3 N. R5 E. from which



T3N R5E, T<sup>h</sup> Mer. Indiana

a B. Oak 8 in. dia. bears N83E 24 lks. dist. &  
 a Do 7 S62W 8 " "

West On true line S. boundary of Sec. 35, T3N. R5E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Poplar 12 in dia. bears N86E 21 lks. dist. &  
 a Beech 8 " " " N40W 8 1/2 " "  
 60.00 Set a post Cor. to Sec. 34 & 35, T3N. R5E. from which  
 a Beech 24 in. dia. bears N74E 43 lks. dist. &

West On true line S. boundary of Sec. 34, T3N. R5E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Hickory 6 in. dia. bears N67E 10 lks. dist. &  
 a Beech 3 " " " S67W 15 " "  
 60.00 Set a post Cor. to Sec. 33 & 34, T3N R5E. from which  
 a B. Oak 10 in dia. bears N75W 33 lks. dist. &  
 a Do 8 " " " N52E 47 " "

West On true line S. boundary of Sec. 33, T3N. R5E.  
 40.00 Set the q. Sec. post on true line, from which  
 a B. Oak 25 in. dia. bears S53E 44 lks. dist. &  
 a Do 40 " " " N42W 23 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, from which  
 a N. Oak 6 in dia. bears N80E 26 lks. dist. &  
 a Beech 20 " " " S80W 2 " "

West On true line S. boundary of Sec. 32, T3N. R5E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Beech 24 in. dia. bears S64W 11 lks. dist. &  
 a Dogwood 5 " " " N20W 18 " "  
 80.00 Set a post Cor. to Sec. 31 & 32, from which  
 a Beech 5 in. dia. bears N44E 6 lks. dist. &  
 a Do 8 " " " S24E 10 1/2 " "

# T3 N R5 E 2<sup>nd</sup> Mer. Indiana

West On true line S. boundary of Sec. 31, T3 N. R5 E.  
 40.00 Let the gr. Sec. post on true line, from which  
 a Dogwood 5 in. dia. bear N 62 E 13 lks. dist. of  
 a W. Ash 10 " " " S 22 W 32 " "  
 82.84 To the Township Corner.

## East Boundary

North On E. boundary of Sec. 36, T3 N. R5 E.  
 40.00 Let the gr. Sec. post, from which  
 a W. Oak 20 in. dia. bear S 77 E 4 lks. dist. of  
 a Do 10 " " " S 17 W 6 " "  
 46.70 a W. Oak 20 " "  
 50.00 a Brook 15 lks. wide Course N. W.  
 64.50 a Do 15 " " " N. W.  
 80.00 Let a post cor. to Sec. 25 & 36, from which  
 a Hickory 8 in. dia. bear N 32 W 6 lks. dist. of  
 a W. Oak 5 " " " S 22 E 13 1/2 " "  
 W. Oak timbered land.

North On E. boundary of Sec. 25, T3 N. R5 E.

3.25 a W. Oak 20 in. dia.  
 38.75 a Do 25 " "  
 40.00 Let the gr. Sec. post, from which  
 a Beech 8 in. dia. bear N 12 W 27 lks. dist. of  
 a W. Oak 10 " " " S 43 E 26 " "  
 80.00 Let a post cor. to Sec. 24 & 25, from which  
 a W. Oak 10 in. dia. bear N 79 W 27 1/2 lks. dist. of  
 a Do 20 " " " S 59 W 23 " "  
 Thin Oak & Hickory timbered land undng.  
 Dogwood and Spice

North On E. boundary of Sec. 24, T3 N. R5 E.  
 27.00 a Brook 20 lks. wide Course East

T3 N. R5 E. 2<sup>d</sup> Mer. Indiana

- 40.00 Let the gr. Sec. post. from which  
 a W. Oak 20 in. <sup>diat.</sup> bray N20 W34 lbs. dist. of  
 a Beech 20 " " " S40 E22 " "  
 70.00 a Brook 12 lbs. wide Course N.W.  
 77.50 a Same 6 " " " North  
 80.00 Let a post Cor. to Sec. 13 & 24, from which  
 a Hickory 10 in. diat. bray S77 W18 lbs. dist. of  
 a W. Oak 20 " " " S47 W34. "  
 This mile Over good farming land.

- North On E. boundary of Sec. 13, T3 N. R5 E.  
 5.50 a Brook — lbs. wide Course N.W.  
 19.00 a W. Oak 20 in. diat.  
 24.00 a Spring Course East  
 40.00 Let the gr. Sec. post. from which  
 a W. Oak 12 in. diat. bray N44 E13 lbs. dist. of  
 a Dogwood 6 " " " S49 W15 " "  
 62.00 a Spring run 4 lbs. wide Course East  
 80.00 Let a post Cor. to Sec. 12 & 13, from which  
 a Beech 20 in. diat. bray S79 E11 lbs. dist. of  
 a do 10 " " " N19 W22 " "  
 Sand timber &c. Same as on the last mile

- North On E. boundary of Sec. 12, T3 N. R5 E.  
 16.50 a Brook 10 lbs. wide Course E.  
 40.00 Let the gr. Sec. post. from which  
 a Beech 20 in. diat. bray N60 E13 lbs. dist. of  
 a Gum 24 " " " N83 W23 " "  
 42.45 a Beech 20 " " "  
 80.00 Let a post Cor. to Sec. 1 & 12, from which  
 a Beech 12 in. diat. bray S35 E14 lbs. dist. of  
 a Hickory 10 " " " N48 W8 " "  
 Sand timber &c. Same as on the last mile

283

S 3 N. R 5 E. 2<sup>n</sup>. Mer. Indiana

North On E. boundary of Sec. 1, S 3 N. R 5 E.

12.90 a P. Oak 40 in. dia.

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Hickory 10 in. dia. bran S 9 E 32 lks. dist. of  
a Maple 12 " " " S 76 E 22 " "

80.00 Set a post Cor. to Town, S 34 N. R 5 E 6 E from  
which an Elm 10 in. dia. bran S 28 E 19 lks. dist. of  
a Maple 10 " " " S 86 N 23 " "

This mile Over flat Land. timber Oak, hick.  
underg<sup>th</sup> Oak, Spruce &c.

North Boundary

West On Rand<sup>m</sup>. S. boundary of Sec. 36, S 4 N. R 5 E

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post.

This mile Over flat land

West On Rand<sup>m</sup>. S. boundary of Sec. 35, S 4 N. R 5 E

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post. Land & timber same as last mile

West On Rand<sup>m</sup>. S. boundary of Sec. 34, S 4 N. R 5 E.

2.50 a Brook 100 lks. wide Course North

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Sec. post. Land & timber same

West On Random S. boundary of Sec. 33, S 4 N. R 5 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

75.00 a Brook 10 lks. wide Course North

80.00 Set temp<sup>y</sup>. Sec. post. Land flat the same

West On Rand<sup>m</sup>. S. boundary of Sec. 32, S 4 N. R 5 E.

14.00 a Brook 20 lks. wide Course North



T3N R5E. T<sup>m</sup> Mer. Indiana

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post  
 73.00 a Brook 15 lks. wide Course North  
 78.50 a do 15 " " " S. 30 E.  
 80.00 Set temp<sup>y</sup>. Sec. post. Good farming Land timber  
 Beech, Oak, Hickory.

West On Prand<sup>m</sup>. S. boundary of Sec. 31, T4N. R5E.  
 40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post  
 76.37 Intersected the N. & S. line 4,50 lks. South of the  
 Town Corner. Land the same

East On true line S. boundary of Sec. 31, T4N. R5E.  
 36.37 Set the q<sup>t</sup>. Sec. post on true line, from which  
 a B. Oak 8 in. dia. bears N 87° 13 lks. dist. &  
 a do 12 " " " S 73° 56 " "  
 76.37 Set a post Cor. to Sec. 31 & 32, T4N. R5E. from which  
 a Beech 10 in. dia. bears S 73° 21 lks. dist. &  
 a do 10 " " " S 62° 40 " "

East On true line S. boundary of Sec. 32, T4N. R5E.  
 40.00 Set the q<sup>t</sup>. Sec. post on true line, from which  
 a B. Oak 12 in. dia. bears S 76° 15 lks. dist. &  
 a Beech 5 " " " S 8° 9 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, T4N. R5E. from which  
 a W. Ash 20 in. dia. bears S 40° 15 lks. dist. &  
 a Beech 10 " " " N 17° 7 " "

East On true line S. boundary of Sec. 33, T4N. R5E.  
 40.00 Set the q<sup>t</sup>. Sec. post on true line, from which  
 a Beech 10 in. dia. bears S 54° 17 lks. dist. &  
 a do 20 " " " N 39° 22 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T4N. R5E. from which  
 a W. Oak 20 in. dia. bears N 60° 11 lks. dist. &



T3N - R5E. 2<sup>d</sup>. Mer. Indiana

a Beech 24 in. dia. bears S 77 W 23, lks. dist.

---

East On true line S. boundary of Sec. 34, T4 N. R. 5 E.  
 40.00 Set the q. Sec. post. on true line, from which  
 a Hick. 20 in. dia. bears N 46 E 13, lks. dist. &  
 a Maple 10 " " " S 82 E 14 " "  
 80.00 Set a post Cor. to Secs. 34 & 35, T4 N. R. 5 E. from which  
 a Beech 10 in. dia. bears N 56 W 30 lks. dist. &  
 a No. 15 " " " S 78 W 27 " "

---

East On true line S. boundary of Sec. 35, T4 N. R. 5 E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Sweet Gum 20 in. dia. bears S 56 E 19 lks. dist. &  
 a Beech 10 " " " S 83 W 14 " "  
 80.00 Set a post Cor. to Secs. 35 & 36, T4 N. R. 5 E. from which  
 a Beech 10 in. dia. bears N 81 E 9 lks. dist. &  
 a W. Oak 48 " " " S 43 W 29 " "

---

East On true line S. boundary of Sec. 36, T4 N. R. 5 E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Maple 10 in. dia. bears N 10 E 12 lks. dist. &  
 a Gum 15 " " " S 25 E 13 " "  
 80.00 to the Township Corner

---

## West Boundary

North On E. boundary of Sec. 36, T3 N. R. 4 E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 10 in. dia. bears S 28 W 21, lks. dist. &  
 a Dogw. 8 " " " N 62 W 30 " "  
 56.00 a Brook 15 lks. wide Course S. W.  
 80.00 Set a post Cor. to Secs. 25 & 36, T3 N. R. 4 E. from which  
 a W. Ash 24 in. dia. bears S 4 W 9 lks. dist. &  
 a Beech 15 " " " N 75 E 21 " "

T3 N R5 E. 2<sup>d</sup> Mer. Indiana

Good farming Land underbrush Spicewood

North	On E. boundary of Sec. 25, T3 N R4 E.
40.00	Set the q. Sec. post, from which a Beech 4 in. dia. bears N44 E 3 lks. dist. & a Chestnut 20 " " " N39 W 19 " " The Land &c. Same
80.00	Set a post Cor. to Sec. 24 & 25, T3 N R4 E. from which a Poplar 10 in. dia. bears S62 E 8 lks. dist. & a Sugar 12 " " " S76 W 11 " " This half mile over broken knobs & very high Hills, timber Oak.
North	On E. boundary of Sec. 24, T3 N R4 E.
4.00	a Brook 20 lks. wide Course S. W.
40.00	Set the q. Sec. post, from which a Beech 10 in. dia. bears S10 E 39 lks. dist. & a Do 4 " " " S75 W 10 " " 80.00 Set a post Cor. to Sec. 13 & 24, T3 N R4 E. from which a Gum 12 in. dia. bears N36 E 17 lks. dist. & a Dogw. 4 " " " S36 W 7 " " Very hilly Land, timber B. & W. Oak.
North	On E. boundary of Sec. 13, T3 N R4 E.
36.50	a Brook 10 lks. wide Course W.
40.00	Set the q. Sec. post, from which a Beech 4 in. dia. bears N70 W 4 lks. dist. & a Hickory 8 " " " S1 E 14 1/2 " "
76.00	a Brook 10 lks. wide Course West
80.00	Set a post Cor. to Sec. 12 & 13, T3 N R4 E. from which a Beech 15 in. dia. bears S40 E 13 lks. dist. & a W. Oak 10 " " " N10 W 11 " " Land timber &c. Same very Hilly

# S 3 N R 5 E. 2<sup>nd</sup> Mer. Indiana

North On E. boundary of Sec. 12, S 3 N. R 4 E.  
 40.00 Set the g. Sec. post, from which  
 a Red Oak 18 in. dia. bears N 7 E 14 lks. dist. &  
 a Sugar 6 " " " S 65 W 11 " "  
 58.50 a Brook 15 lks. wide Course West  
 80.00 Set a post Cor. to Sec. 14, 12, S 3 N. R 4 E. from which  
 a Hickory 8 in. dia. bears S 22 W 4 lks. dist. &  
 a Dogwood 6 " " " N 13 W 20 " "  
 Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, S 3 N. R 4 E.  
 10.00 Set the g. Sec. post, from which  
 a P. Oak — in. dia. bears S 22 E 4 lks. dist. &  
 a Dogwood 4 " " " N 43 W 5 " "  
 80.00 Set a post. Cor. To Township N. 34 4 North  
 Ranges N. 44 5, East, from which  
 a W. Oak 12 in. dia. bears S 75 W — lks. dist. &  
 a P. Oak 20 " " " N 83 E 43 " "  
 Land timber &c. Same as on the last mile  
 Surveyed By Arthur (Henric), Dep. Surveyor

Subdivision, var. 5° 45' E.

North Between Sec. 35 & 36, S 3 N. R 5 E.  
 17.32 a W. Oak 16 in. dia. in the line  
 37.50 a Run 6 lks. wide Course E.  
 40.00 Set the g. Sec. post, from which  
 a Maple 9 in. dia. bears S 15 E 6 lks. dist. &  
 a W. Oak 8 " " " N 6 W 20 " "  
 50.00 a Run 6 lks. wide Course E.  
 50.35 a Do 6 " " " N. W.  
 50.65 a Do 6 " " " E.  
 53.00 a Do 10 " " " W.  
 54.00 a Run 10 " " " E.

T3N R5E. 3<sup>d</sup> Mer. Indiana

56.50 a Run 10 lks. wide Course E.  
 57.75 a do 10 " " " E.  
 61.25 a do 10 " " " E.  
 62.50 a do 10 " " " W.  
 64.00 a do 10 " " " E.  
 40.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which  
 an Ash 18 in. dia. bears S 7 W 22 lks. dist. &  
 a Beech 5 " " " N 36 E 22 " "  
 Sand first & steep knobs last & rich Sand knobs  
 bearing to the West 2.23 lks. timber Beech Oak Poplar

East On Pradom between Secs. 25 & 36. T3N R5E.  
 5.00 a Creek 50 lks. wide Course N. E.  
 40.00 Set temp. q. Sec. post  
 51.25 a Run — lks. wide Course S.  
 73.26 Intersected the E. boundary 1.30 lks. N. of post  
 Sand first & rich timber Poplar Oak Beech  
 last & thin hilly Sand Oak timber.

West Corrected between Secs. 25 & 36. T3N R5E.  
 39.13 Set q. Sec. post, at average dist. from which  
 a Hickory 12 in. dia. bears S 8 W 21 lks. dist. &  
 a Sugar 6 " " " N 19 E 7 " "  
 78.26 to Section Corner Nov. 22<sup>d</sup>. 1806.

## North Between Secs. 25 &amp; 26, T3N R5E

2.57 a Creek 30 lks. wide Course N. W.  
 8.75 a run 10 " " " West  
 18.15 a Beech 36 in. dia.  
 28.00 a Drain 5 lks. wide Course N.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 12 in. dia. bears N 70 E 5 lks. dist. &  
 a do 15 " " " N 47 W 29 " .



289

T3N R5E. T<sup>n</sup>. Mer. Indiana

56.79 a W. Oak 30 in. diam. in the line  
 61.00 a run 8 lks. wide Course West  
 63.50 a Do 6 " " " S.W.  
 65.30 a Do 6 " " " S.E. Crossing it 5 times  
 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which  
 a W. Oak 18 in. diam. bran N44W 43 lks. dist. &  
 a Do 5 " " " S24E 8 " "  
 Land hilly good Soil, timber W. Oak, some Beech &c.

---

East On Kan<sup>on</sup>. between Secs. 24 & 25, T3N. R5E. var. 4.45'E  
 40.00 Set temp. q. Sec. post  
 62.50 a drain 3 lks. wide Course N.E.  
 71.50 a Do 6 " " " N.E.  
 77.14 Intersected the E. boundary 75 lks. N. of post  
 Land good Soil, rolling, timber Chiefly W. Oak, some  
 Beech, undng<sup>r</sup>. Dogwood

---

West Corrected between Secs. 24 & 25, T3N. R5E.  
 38.57 Set the q. Sec. post at average dist. from which  
 a W. Oak 30 in. diam. bran N67W 33 lks. dist. &  
 a Poplar 16 " " " S38E 20 " "  
 77.14 to Sec. Corner.

---

North Between Secs. 23 & 24, T3N. R5E.  
 26.32 a W. Oak 18 in. diam. in the line  
 40.00 Set q. Sec. post (in run 10 lks. wide C. W.) from which  
 a W. Oak 12 in. diam. bran N52W 40 lks. dist. &  
 a Beech 30 " " " S37E 22 " "  
 49.00 a run 6 lks. wide Course N.W.  
 64.60 an Ash 26 in. diam.  
 72.00 a drain 4 lks. wide Course W  
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24, from which  
 a Beech 5 in. diam. bran S10E 16 lks. dist. &



T3N R5E. 2<sup>d</sup> Mer. Indiana

a Beech 10 in. dia. bear N 26 E 34 lks. dist.  
Land rolling good Soil, timber W. B. Oak, Beech,  
Poplar, Ash, Gum &c.

East On Rand<sup>m</sup> between Sec. 13 & 24, T3N. R5E.

40.00 Set temp<sup>y</sup>. of Sec. post

64.00 a run 8 lks. wide Course N.

75.50 a Do 10 lks. " " N.E.

76.50 Intersected the E. boundary 55 lks. N. of post  
Land rich rolling, timber Sugar, Beech, W. B. Oak &c.

West Corrected between Sec. 13 & 24, T3N. R5E.

38.25 Set the of. Sec. post at average dist. from which  
a Maple 14 in. dia. bear North 7 lks. dist. of  
a Beech 8 " " " N 62 W 14 " "

76.50 to Sec. Corner.

North Between Sec. 13 & 14, T3N. R5E.

24.50 a drain 4 lks. wide Course N.W.

24.88 a Beech 30 in. dia. in the line

40.00 Set the of. Sec. post, from which  
a Beech 12 in. dia. bear S 52 E 27 lks. dist. of  
a Do 26 " " " N 52 W 14 " "

57.50 a R. Oak 30 " "

61.50 a drain 3 lks. wide Course N.

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
a Beech 12 in. dia. bear S 35 E 31 lks. dist. of  
a Do 14 " " " N 32 W 23 " "

Land rich rolling, timber Beech, Ash, Sugar &c  
underg<sup>g</sup>. Spruce &c.

East On Rand<sup>m</sup> between Sec. 12 & 13, T3N. R5E. var. 4. 15 E

40.00 Set temp<sup>y</sup>. of Sec. post

T3 N. R5 E. 2<sup>d</sup> Mer. Indiana 291

44.50 a drain 4 lks. wide Course N.  
 76.00 Intersected the E. boundary 14 lks. N. of the post  
 Land level some fallen timber and spots of briar  
 timber Beech, Poplar &c.

---

Nest Corrected between Sec. 12 & 13, T3 N. R5 E.  
 38.00 Let the q. Sec. post at average dist. from which  
 a Beech 26 in. dia. bray N 32 W 4 lks. dist. of  
 a Dogwood 5 " " " S 44 E 27 " "  
 76.00 to Sec. Corner

---

North Between Sec. 11 & 12, T3 N. R5 E.  
 18.95 a P. Oak 36 in. dia. in the line  
 40.00 Let the q. Sec. post, from which  
 a Beech 12 in. dia. bray S 80 E 30 lks. dist. of  
 a Dogwood 10 " " " East 7 " "  
 55.40 a P. Oak 36 " "  
 80.00 Let a post Cor. to Sec. 1, 2, 11 & 12, from which  
 an Ash 14 in. dia. bray N 11 1/2 E 10 lks. dist. of  
 a Beech 10 " " " S 11 1/2 W 23 " "  
 Land &c. same as last mile fallen timber Briar &c

---

East On Rand. betw. Sec. 1 & 12, T3 N. R5 E. var. 3.00 E.  
 15.00 a drain 4 lks. wide Course N.  
 34.00 a do 4 " " " N.  
 40.00 Let temp. q. Sec. post  
 61.00 a drain 6 lks. wide Course N.  
 75.71 Intersected the E. boundary 21 lks. N. of post  
 Land rolling good soil, timber Beech, Sugar,  
 Oak &c. underg<sup>th</sup> Spice, briar &c.

---

Nest Corrected between Sec. 1 & 12, T3 N. R5 E.  
 37.85 Let the q. Sec. post at average dist. from which

T3N - R5E. 2<sup>nd</sup> Mer. Indiana

a Beech 14 in. dia. brang N55 E 14 lks. dist. of  
 a Do 12 " " " N77 W 19 " "  
 75.71 to Sec. Corner.

North Between Secs. 1 & 2, T3N, R5E.  
 3.90 Cross a trace S80 E.  
 32.00 a W. Oak 18 in. dia. in the line  
 40.00 Set the q. Sec. post (in river bottom) from which  
 a Beech 30 in. dia. brang N51 1/2 W 6 lks. dist. of  
 a Do 16 " " " N44 E 28 " "  
 58.67 an Elm 14 " " in the line  
 74.89 Intersected the N. boundary 418 lks. E. of post  
 Set a post Cor. to Secs. 1 & 2, T3N, R5E, from which  
 a W. Oak 36 in. dia. brang S32 E 37 lks. dist. of  
 a Maple 9 " " " S60 W 40 " "  
 First part 1<sup>st</sup> rate upland, timber W & R. Oak  
 Beech, Poplar &c; 2<sup>nd</sup> part flat overflowed, timber  
 Maple, S. Oak, & very bushy Oak &c.

North Between Secs. 34 & 35, T3N, R5E. Nov. 22<sup>nd</sup> 1806  
 15.87 a Chest. Oak 14 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a R. Oak 10 in. dia. brang N10 W 21 lks. dist. of  
 a Chest. Oak 26 " " " N10 E 7 " "  
 58.12 a Beech 18 " " in the line  
 70.00 a run 30 lks. wide Course N. E.  
 72.50 a Do " " " N. W.  
 80.00 Set a post (in creek) Cor. to Secs. 26, 27, 34 & 35, from which  
 a Beech 26 in. dia. brang S31 E 52 lks. dist. of  
 a Do 6 " " " N30 W 22 " "  
 Sand timber &c. Same as on the last mile

T3N R5E. 2<sup>d</sup>. Mer. Indiana

East On Rand<sup>m</sup>. Between Secs. 26 & 35, T3N R5E.

14.25 a run 4 lks. wide Course N.  $\frac{1}{2}$

15.10 a do " " " N.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

44.50 a run 10 lks. wide Course N.

65.00 to the Creek bottom

68.00 a run 10 lks. wide Course N10W

78.36 Intersected the N & S. line 47 lks. N. of post  
Land 1<sup>st</sup>  $\frac{1}{2}$  mile thin ridgy Oak land - 2<sup>nd</sup>  $\frac{1}{2}$  mile  
rich not so hilly, timber Ash, Walnut, Oak, Poplar  
Beech & grape vines &c.

West Corrected between Secs. 26 & 35, T3N R5E.

39.18 Set q<sup>r</sup>. Sec. post at average dist. from which  
a W. Oak 16 in. dia. bears S 71 W 17 lks. dist. &  
a Beech 10 " " " N 26 E 16 " "

78.36 to Section Corner

North Between Secs. 26 & 27, T3N R5E.

00.60 a Run 10 lks. wide Course E.

3.50 a Creek 40 " " " E.

25.27 a Gum 12 in. dia. in the line

35.00 a Run 4 lks wide Course E.

40.00 Set the q<sup>r</sup>. Sec. post, from which

a Beech 40 in. dia. bears N 46 E 34 lks. dist. &

a do 6 " " " S 50 W 6 " "

59.69 a Beech 24 " " in the line

66.60 a Run 10 lks wide Course East

80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which

a Beech 10 in. dia. bears S 35 W 7 lks. dist. &

a Poplar 70 " " " S 68 E 22 " "

Land first half r. rate most part Bottom timber  
Poplar Beech & Spice



## T3N R5E, T. Mer. Indiana

East On Random between Secs. 23 & 26, T3N R5E.  
 4.50 a Drain 4 lks. wide Course N. E.  
 15.50 a do 5 " " " N. E.  
 35.00 a Run 12 " " "  
 40.00 Set temp'y. q. Sec. post  
 62.00 a Creek 60 lks. wide Course N. E.  
 78.70 Intersected the N. & S. line 50 lks. S. of post  
 Land level rich Soil timber Beech Poplar Elm W. Oak &c.

West Corrected between Secs. 23 & 26, T3N R5E.  
 39.35 Set q. Sec. post at average dist. from which  
 a Run 6 in. dia. bears N 51 W 7 lks. dist. &  
 a Hick 8 " " " S 72 W 22 " "  
 78.70 to Section Corner

North Between Secs. 22 & 23, T3N R5E.  
 22.50 a Run 40 lks. wide Course N. E.  
 32.14 a Beech 18 in. dia.  
 36.00 a Run 6 lks. wide Course E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 12 in. dia. bears S 5 W 8 lks. dist. &  
 a do 9 " " " N 38 E 10 " "  
 53.65 a Beech 36 " "  
 67.00 a Run 40 lks. wide Course E.  
 77.75 a do 25 " " " N. E.  
 79.50 a do 6 " " " E.  
 80.00 Set a post Cor. to Secs. 14 & 15, 22 & 23, from which  
 a Beech 16 in. dia. bears S 65 W 2 lks. dist. &  
 a do 30 " " " S 50 E 15 " "  
 Land Chiefly first rate timber Poplar Beech Ash  
 Oak, undergrowth Spice &c. Some what rolling.

East On Random between Secs. 14 & 23, T3N R5E.



# T3N R5E 2<sup>d</sup> Mer. Indiana

295

.18 a Run 15 lks. wide Course N. E.  
 1.75 a dlo — " " " S. E.  
 6.90 a dlo — " " " N. E.  
 15.00 a dlo 20 " " " N. E.  
 28.00 a Creech 60 " " " Comee ~~N. 60 S.~~ North  
 40.00 Set temp. y. of. Sec. post  
 78.00 Intersected the N. & S. line 50 lks. S. of post  
 Land most part first rate Bottom timber Sugar  
 Beech Walnut &c

West Corrected between Secs. 14 & 25, T3N R5E.  
 39.00 Set of. Sec. post, at average dist. from which  
 a Beech 20 in dia. bears N 22 W 3 lks. dist. &  
 a Sugar 12 " " " S 52 E 17 " "  
 78.00 To Section Corner

North Between Secs. 14 & 15, T3N R5E.  
 15.46 a Maple 16 in. dia.  
 40.00 Set the of. Sec. post, from which  
 an Elm 16 in. dia. bears S 29 W 9 lks. dist. &  
 a Beech 11 " " " N 11 E 12 " "  
 41.50 a Run 25 lks. wide Course N. E.  
 60.22 a B. Oak 40 in. dia.  
 63.20 a Drain 4 lks. wide Course E.  
 80.00 Set a post Corner to Secs. 10, 11, 14 & 15, from which  
 a B. Oak 26 in. dia. bears S 48 W 9 lks. dist. &  
 a Sassafras 12 " " " N 42 E 47 " "  
 Land rich level timber Beech W. & B. Oak Poplar maple.  
 Beech Ironwood Dogwood Spice &c.

East On Random between Secs. 11, 14, & 25, T3N R5E.  
 17.50 a Creech 60 lks. wide Course N. Steep banks.  
 40.00 Set temp. y. of. Sec. post

T3N-R5E-2<sup>nd</sup> Mer. Indiana

78.41 Intersected the N. & S. line 30 lks. S. of post  
 Sand level wet Soil timber Beech ash Maple Sugar.

West Corrected between Secs. 11 & 14, T3N-R5E.

39.20 Set q. Sec. post at average dist. from which  
 a Beech 10 in. dia. bears S 19 E 2 lks. dist. &  
 a J. Oak 36 " " " N 39 W 2 " "

78.41 to Section Corner

North Between Secs. 10 & 11, T3N-R5E.

20.12 a Beech 16 in. dia. in the line

40.00 Set the q. Sec. post, from which  
 a Beech 18 in. dia. bears N 38 W 42 lks. dist. &  
 a No 6 " " " S 54 W 41 " "

59.72 a Beech 18 " " in the line

60.00 a Creek 60 lks. wide Course S. W.

80.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which  
 a Beech 30 in. dia. bears N 29 W 30 lks. dist. &  
 a No 14 " " " S 29 E 30 " "

Sand level rich Soil timber Beech Ash Sugar & Hick

East On Random between Secs. 2 & 11, T3N-R5E.

40.00 Set temp. q. Sec. post

78.22 Intersected the N. & S. line 16 lks. S. of post  
 Sand and timber as on the last Mile

West Corrected between Secs. 2 & 11, T3N-R5E.

39.11 Set q. Sec. post at average dist. from which  
 a Beech 6 in. dia. bears S 41 E 6 lks. dist. &  
 an Ash 6 " " " N 34 W 15 " "

78.22 to Section Corner

North Between Secs. 2 & 3, T3N-R5E.

# S3 N R5 E. 2<sup>d</sup> Mer. Indiana

297

8. 00 a Creek 60 lks wide Course S. E.  
 12. 00 a do " " " W.  
 17. 00 a Beech 24 in. dia.  
 18. 00 to Swamp  
 32. 50 to do 3 feet water  
 33. 00 a trace Course East  
 33. 50 a Creek keep obliquely down N10E  
 40. 00 Set the q. Sec. post, from which  
 a Sycamore 8 in. dia. bears N13 W 34 lks. dist. &  
 a do 14 " " " S 3 E 29 " "  
 40. 75 a Creek 60 lks. wide Course N. W.  
 52. 50 a W. Oak 30 in. dia.  
 75. 69 Intersected the N. boundary 6.48 lks. E. of post  
 Set a post Cor. to Sec. 2 & 3, from which  
 a Gum 16 in. dia. bears S 16 E 61 lks. dist. &  
 a Elm 30 " " " S 47 W 50 " "  
 Sand Beech Maple Gum Brushy Overflows  
 Considerable part Clay Soil.

- 
- North Between Sec. 33 & 34, S3 N. R5 E.  
 13. 55 a Chest. Oak 24 in. dia.  
 25. 00 a Run 25 — lks. wide Course N. E.  
 40. 00 Set the q. Sec. post, from which  
 a W. Walnut 10 in. dia. bears N 23 E 10 lks. dist. &  
 a Chest. 18 " " " S 14 W 40 " "  
 49. 00 a Run 6 lks. wide Course E.  
 55. 44 a Gum 20 in. dia.  
 71. 00 a Run 25 lks wide Course E.  
 80. 00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which  
 a Br Oak 18 in. dia. bears N 71 W 10 lks dist. &  
 a Beech 9 " " " S 63 E 16 " "  
 Sand Steep ridges poor soil timber Oak.
-

T3N R5E, T<sup>h</sup>. Mer. Indiana

East On Prandon between Sec. 27 & 34, T3N R5E.  
 40.00 Set temp. q. Sec. post  
 47.15 a Run 20 lks. wide Course N. 80 E.  
 75.65 a dlo 30 " " " N. E.  
 79.65 Intersected the N. & S. line 6 lks S. of post  
 Land first 1/2 mile poor knobs 2<sup>d</sup> half rich timber  
 Beech Sugar &c.

West Corrected between Sec. 27 & 34, T3N R5E.  
 39.82 1/2 Set q. Sec. post at average dist. from which  
 a Beech 20 in. dia. bears N 80 E 20 lks dist. &  
 a dlo 6 " " " N 76 W 29 " "  
 79.65 to Section Corner

North Between Sec. 27 & 28, T3N R5E.  
 27.40 a Poplar 18 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 28 in. dia. bears S 81 E 15 lks. dist. &  
 a Sycamore 14 " " " N 78 W 22 " "  
 45.00 a Run 30 lks. wide Course E. dry  
 57.44 a Beech 16 in. dia.  
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which  
 a W. Oak 12 in. dia. bears N 78 E 25 lks. dist. &  
 a B. Oak 30 " " " N 50 W 35 " "  
 Land hilly thin soil timber Chiefly Oak &c.

East On Prandon between Sec. 22 & 27, T3N R5E.  
 40.00 Set temp. q. Sec. post  
 54.54 a Run 40 lks. wide Course N. E.  
 79.89 Intersected the N. & S. line 49 lks. S. of post.  
 Land first part hilly thin soil last part inch  
 level timber Beech Sugar Poplar &c.

S3 N R5 E. 2<sup>d</sup> Mer. Indiana

West Corrected between Secs. 22 & 27, S3 N. R5 E.  
 39.94 $\frac{1}{2}$  Set of Sec. post at average dist. from which  
 a Beech 9 in. dia. bears N80 $\frac{1}{2}$ W27 lbs. dist. &  
 a do 30 " " " S73E9 " "  
 79.89 To Section Corner

North Between Secs. 21 & 22, S3 N. R5 E.  
 14.00 a Run 20 lbs. dist. Course E.  
 22.36 a Beech 14 in. dia.  
 40.00 Set the of Sec. post, from which  
 a Beech 10 in. dia. bears N60E27 lbs. dist. &  
 a Poplar 28 " " " N41 $\frac{1}{2}$ W34 " "  
 41.00 a Run 25 lbs. wide Course E.  
 70.31 a Beech 11 in. dia.  
 80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which  
 a Beech 14 in. dia. bears S77E16 lbs. dist. &  
 a do 8 " " " N84 $\frac{1}{2}$ W20 " "  
 Land rich ridgy Beech Poplar Oak timber open

East On Random between Secs. 15 & 22, S3 N. R5 E.  
 40.00 Set temp. of Sec. post  
 79.74 Intersected the N. & S. line ~~at the~~ at the post  
 Land rich rolling timber Beech Sugar Oak &c.  
 undergrowth dogwood &c.

West Corrected between Secs. 15 & 22, S3 N. R5 E.  
 39.89 Set of Sec. post at average dist. from which  
 a Gum 14 in. dia. bears S62 $\frac{1}{2}$ W31 lbs. dist. &  
 a do 16 " " " N83 $\frac{1}{2}$ W12 " "  
 79.74 To Section Corner

North Between Secs. 15 & 16, S3 N. R5 E.  
 11.50 a Chest. 14 in. dia. in the line



# S 3 N R 5 E. 2<sup>nd</sup> Mer. Indiana

- 38.50 a Run 25 lks. wide Course E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 18 in. dia. bears S 75 E 24 lks. dist. &  
 a W. Oak 10 " " " S 66 W 10 " " "  
 61.60 a Chest. 36 " "  
 80.00 Set a post Corner to Sec. 9, 10, 15 & 16, from which  
 a Beech 26 in. dia. bears N 26 W 7 lks. dist. &  
 a Do 40 " " " S 24 E 40 " "  
 Sand rolling rich Soil timber Beech Sugar Poplar &c.

- East On Brandon between Sec. 10 & 15, T 3 N. R 5 E.  
 3.00 a Run 20 lks. wide Course S. 80 E.  
 11.00 a Do " " " " N. 80 E.  
 20.00 a Do " " " " S. 80 E.  
 33.00 a Do " " " " N. 60 E.  
 40.00 Set temp<sup>y</sup>. q. Sec. post  
 80.00 Intersected the N. & S. line 7 lks S. of post  
 Sand level rich Soil timber Beech Sugar  
 Oak &c. under-growth Spice &c.

- West Corrected between Sec. 10 & 15, T 3 N. R 5 E.  
 40.00 Set q. Sec. post at average dist. from which  
 a Beech 14 in. dia. bears N 57 W 16 lks. dist. &  
 a Poplar 12 " " " S 68 E 39 " "  
 80.00 to Section Corner

- North Between Sec. 9 & 10, T 3 N. R 5 E.  
 1.25 a run 30 lks. wide Course East (dry)  
 15.38 a Beech 16 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Maple 9 in. dia. bears S 5 E 16 lks. dist. &  
 a Dogw. 7 " " " N 6 W 9 " "  
 57.00 a Beech 14 " " in the line

# T3N R5E. 2<sup>d</sup> Mer. Indiana

80.00 Let a post Corner to Sec. 3, 4, 9 & 10, from which  
a W. Oak 16 in. dia. bray N55W 41 lks. dist. of  
a Do 16 " " " N76E 11 " "  
Land 1<sup>st</sup> part rich - 2<sup>d</sup> part thin Soil, timb. Oak & Beech

East On Rand. between Sec. 3 & 10, T3N. R5E.

40.00 Let temp. pt. of Sec. post

71.00 Cross a branch obliquely 60 lks. wide Course N.W.

80.00 Intersected the N.S. line 35 lks. N. of post  
Land on 1<sup>st</sup> part flat and wet Clay Soil, timber  
Oak, (Maple, Locust, Gum &c).

West Corrected between Sec. 3 & 10, T3N. R5E.

40.00 Let the of. Sec. post at average dist. from which  
a P. Oak 11 in. dia. bray N37E 25 lks. dist. of  
a Hickory 18 " " " N37W 15 " "

80.00 to Sec. Corner.

North Between Sec. 3 & 4, T3N. R5E.

30.00 a run 8 lks. wide Course N.E. dry

30.86 a Poplar 14 in. dia. in the line

40.00 Let the of. Sec. post, from which  
an Ash 10 in. dia. bray S56W 51 lks. dist. of  
a W. Oak 50 " " " N48E 15 " "

75.11 Intersected the N. boundary 8.15 lks. E. of post  
Let a post Cor. to Sec. 3 & 4, from which  
a Beech 10 in. dia. bray S41W 32 lks. dist. of  
an Ash 14 " " " N78E 40 " "

Low level land, rich Soil, Timber Beech, Poplar, ash &c.

North Between Sec. 32 & 33, T3N. R5E.

20.50 a C. Oak 12 in. dia. on top of hill now dead

35.00 a run 8 lks. wide N10E. crossing leave it to the N. &

## T3N R5E T. Mer. Indiana

- 40.00 Let the q<sup>r</sup>. Sec. post. from which  
 a Beech 20 in. dia. bran S 2 E 31 lks. dist. of  
 a Poplar 14 " " " N 79 W 48 " "
- 58.70 a run 8 lks. wide N. E.
- 60.15 a P. Ash 36 in. dia.
- 61.00 a run 8 lks. wide Course N. W.
- 61.50 a run & another putting at fork
- 80.00 Let a post Cor. to Secs. 28, 29, 32 & 33, from which  
 a P. Oak 14 in. dia. bran N 64 E 45 lks. dist. of  
 a C. Oak 12 " " " S 83 W 24 " "
- Land (most part high steep knobs, Bushy  
 timber Oak, Beech, Chestnut &c)

- East On Rand<sup>m</sup>. between Secs. 28 & 33, T3N. R5E.
- 18.10 a run 20 lks. wide Course N.
- 40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post
- 79.10 Intersected the N & S. line 8 lks. S. of post  
 Land steep points of knobs, poor timber Oak,  
 unfit for Cultivation.

- West Corrected between Secs. 28 & 33, T3N. R5E.
- 39.55 Let q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 14 in. dia. bran S 50 W 34 lks. dist. of  
 a Do 16 " " " N 46 E 64 " "
- 79.10 to Sec. Corner.

- North Between Secs. 28 & 29, T3N. R5E.
- 30.41 a P. Oak 36 in. dia.
- 34.50 a run 15 lks. wide Course E.
- 35.25 a Do — " " " W.
- 36.00 a Do — " " " N. E.
- 40.00 Let the q<sup>r</sup>. Sec. post. from which  
 a Beech 18 in. dia. bran N 34 E 6 lks. dist. of

# T3N R5E. 2<sup>d</sup>. Mer. Indiana

a Beech 10 in. diam. brang S3W 12 lks. dist.  
 53.50 a run 8 lks. wide Course E.  
 54.35 a Beech 12 in. diam.  
 80.00 Let a post cor. to Sec. 20, 21, 28 & 29, from which  
 a W. Oak 10 in. diam. brang N4E 25 lks. dist. of  
 a Do 9 " " " S8E 35 " "  
 Land hilly steep points of knobs 1<sup>st</sup> 1/2 from - 2<sup>nd</sup> 1/2  
 good Soil, timber Oak, Beech &c.

---

East On Rand. between Sec. 21 & 28, T3N. R5E.

29.00 a run 5 lks. wide Course S.E.

40.00 Let temp. q. Sec. post

44.25 a run 12 lks. wide Course N.E.

51.00 a Do 25 " " " N.E.

52.50 a Do 25 " " " S.E.

56.50 a Do 25 " " " N.E.

78.77 Intersected the N & S. line 49 lks. S. of post  
 Land steep high hills, poor Soil, timber Oak, and  
 brushy in spots.

---

West Corrected between Sec. 21 & 28, T3N. R5E.

39.38 1/2 Let q. Sec. post at average dist. from which

a W. Oak 16 in. diam. brang N42W 3 lks. dist. of

a Beech 11 " " " S6E 40 " "

78.77 to Sec. Corner.

---

North Between Sec. 20 & 21, T3N. R5E.

23.75 a Chest. 36 in. diam.

29.00 a run 35 lks. wide Course —

40.00 a Beech 12 in. diam. q. Sec. Corner

44.00 a run 10 lks. wide Course N.E.

52.35 a Beech 24 in. diam.

52.50 a run 4 lks. wide Course S. 80° E



# *T3 N R5 E 2<sup>d</sup> Mer. Indiana*

80.00	Set a post Corner to Secs. 16, 17, 20 & 21, from which a W. Oak 14 in. dia. bears S 71 W 9 lks. dist. & a do 18 " " " N 78 E 50 " " Land thin Soil ridgy timber W. & B. Oak Some Beech undergrowth Oak faesafra green briars &c.
East	On Random between Secs. 16 & 21, T3 N. R5 E.
40.00	Set temp. Sec. post
78.36	Intersected the N. & S. line 68 lks S. of post Land thin Soil ridgy timber W. Oak & 2 <sup>d</sup> part. rich B. Oak, W. Oak Some Beech
West	Corrected between Secs. 16 & 21, T3 N. R5 E.
39.18	Set q. Sec. post at average dist. from which a Maple 12 in. dia. bears S 46 W 19 lks. dist. & a W. Oak 9 " " " N 27 E 3 " "
78.36	to Section Corner
North	Between Secs. 16 & 17, T3 N. R5 E.
9.75	a run 10 lks. wide Course N. E.
19.75	a do 6 " " " — E.
20.00	a Beech 16 in. dia.
25.75	a drain 4 lks. wide Course S. E.
40.00	Set the q. Sec. post, from which a Sugar 18 in. dia. bears S 34 W 11 lks. dist. & a W. Oak 12 " " " N 43 E 25 " "
54.66	a W. Oak 30 " "
56.25	a run 6 lks wide Course E.
77.25	a do 6 " " " E.
80.00	Set a post Cor. to Secs. 8, 9, 16 & 17, from which a Beech 20 in. dia. bears S 35 W 7 lks dist. & a do 18 " " " N 11 E 48 " " Land unfit for cultivation timber W. Oak &c. Wholly

T3N R5E 2<sup>d</sup> Mer. Indiana

thinish Soil.

East	On Random between Sec. 9 & 16, T3N R5E.
13.50	a run 30 lks. wide Course N80 E.
40.00	Set temp <sup>y</sup> . of Sec. post
78.00	Intersected the N. & S. line 1.67 lks. N. of post. Land first of Rich Rolling timber W & B. Oak 2 <sup>d</sup> half Hilly thin Soil, Oak, Sand.
West	Corrected between Sec. 9 & 16, T3N R5E.
39.00	Set of Sec. post at average dist, from which an Ash 18 in. dia. bears S 76 <sup>W</sup> 30 lks. dist. & a Beech 6 " " " N 65 E 6 " "
78.00	To Section Corner
North	Between Sec. 8 & 9, T3N R5E.
00.10	a run 6 lks. wide Course S10 E.
16.81	a C. Oak 30 in. dia.
32.25	a run 10 lks. wide Course S80 E.
40.00	Set the of Sec. post, from which a Sugar 18 in. dia. bears N 30 E 6 lks. dist. & a W. Oak 12 " " " S 30 <sup>W</sup> 14 " "
53.25	a Drain 4 lks wide Course E.
70.56	a Beech 18 in. dia.
72.75	a Drain 4 lks wide Course E.
78.30	a Do 4 " " " E.
80.00	Set a post Corner to Sec. 4, 5, 8, & 9, from which a Dogwood 4 in. dia. bears S 27 <sup>W</sup> 26 lks. dist. & a W. Oak 28 " " " N 21 E 22 " " Land Hilly thin Soil timber Beech W. Oak undergrowth Oak Sassafras green briars &c.
West	On Random between Sec. 4 & 9, T3N R5E.

T3 N R5 E. 2<sup>d</sup>. Mer. Indiana

19. 00 a run 8 lks. wide Course N. E.  
 40. 00 Set temp. y. q. Sec. post  
 41. 50 a run 6 lks. wide Course N.  
 56. 00 a do 10 " " " N. E.  
 60. 00 a do — " " " S. E.  
 77. 70 Intersected the N. & S. line 1.38 lks. N. of post  
 Land hilly & brushy / Timber W. Oak undergrowth  
 Sassafras Oak Hickory

East Corrected between Sec. 4 & 9, T3 N R5 E.  
 38. 35 Set q. Sec. post, at average dist. from which  
 a Beech 10 in. dia. bears N 18 W 35 lks. dist. &  
 a W. Oak 10 " " " S 31 E 30 " "  
 77. 70 to Section Corner

North Between Sec. 4 & 5, T3 N R5 E.  
 11. 00 a run 4 lks wide Course E.  
 24. 95 a C. Oak 30 in. dia. in the line  
 25. 50 a run 4 lks wide Course E. dry  
 40. 00 Set the q. Sec. post, from which  
 a W. Oak 20 in. dia. bears N 87 W 11 lks. dist. &  
 a do 10 " " " N 89 E 54 " "  
 55. 66 a W. Oak 18 " " " " " "  
 78. 17 Intersected the "N." boundary 11.56 lks. E. of post  
 Set a post Corner. to Sec. 4 & 5, from which  
 a W. Oak 24 in. dia. bears S 25 W 17 lks. dist. &  
 a do 10 " " " S — E 17 " "  
 Land thin soil ridgy timber W. Oaks &c. Brushy

North Between Sec. 31 & 32, T3 N R5 E.  
 25. 02 a Beech 30 in. dia.  
 36. 40. a run 8 lks wide Course S. W  
 40. 00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears S 46 E 20 lks. dist. &

# S3 N R 5 E. 2<sup>d</sup>. Mer. Indiana

307

a dogwood 7 in. dia. bears N 53. W 32 lks. dist. 4  
 65.00 a run 6 lks. wide Course S. W.  
 67.15 a Beech 36 in. dia. in the line  
 68.00 a run 4 lks. wide Course S. W.  
 73.00 a run 8 " " " S. W.  
 80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which  
 a Beech 15 in. dia. bears N 69 E 54 lks. dist. 4  
 a do 18 " " " S 58 W 50 " "  
 Level rich land timber Beech Sugar Poplar Elm  
 Maple undergrowth Spich &c.

East On Random between Secs. 29 & 32, S3 N R 5 E.  
 40.00 Set temp. q. Sec. post  
 81.77 Intersected the N. 4 S. 12 lks. South of post  
 Land first part level rich 2<sup>d</sup> part steep points of  
 knobs timber Beech, W. Ash, Oak &c.

West Corrected between Secs. 29 & 32, S3 N R 5 E.  
 40.88 Set q. Sec. post, at average dist. from which  
 a Poplar 36 in. dia. bears N 69 W 40 lks. dist. 4  
 a do 42 " " " S 86 E 117 " "  
 81.77 to Section Corner

North Between Secs. 29 & 30, S3 N R 5 E.  
 16.53 a W. Oak 36 in. dia. now descend the knobs  
 32.25 a run 8 lks. wide Course N. E.  
 40.00 Set the q. Sec. post, from which  
 a C. Oak 28 in. dia. bears S 14 E 19 lks. dist. 4  
 a B. Oak 14 " " " N 84 W 10 " "  
 59.65 an Ash 15 " "  
 80.00 Set a post Corner to Secs. 19, 20, 29 & 30, from which  
 a W. Oak 40 in. dia. bears N 50 W 30 lks. dist. 4  
 a sassafras 12 " " " S 5 E 3 " "



T3N R5E. 2<sup>d</sup> Mer. Indiana

Land most part steep high hills rich soil timber  
Poplar Walnut Beech Sugar tree Ash Oak &c. Stony  
in places

West Between Secs. 30 & 31, T3N R5E.  
29.55 a Poplar 40 in. dia.  
40.00 Set the q. Sec. post. from which  
a Beech 18 in. dia. bears S 40 E 28 lks. dist. &  
a do 16 " " " N 36 W 42 " "  
55.54 an Ash 28 " "  
83.89 Intersected the W. boundary 40 lks. South of post  
Set a post Corner to Secs. 30 & 31, from which  
a Beech 14 in. dia. bears N 80 E 37 lks. dist. &  
a do 12 " " " S 26 E 20 " "  
Land level rich timber Beech C. Oak Poplar Oak &c.  
undergrowth Thick green briars &c.

West On Pradom between Secs. 20 & 29, T3N R5E.  
30.80 a run 15 lks. wide Course N. E.  
40.00 Set temp. q. Sec. post  
82.39 Intersected the N. & S. line 42 lks. S. of post  
Land rich Steep high points of hills timber Beech  
Oak Poplar Chestnut underg. Spice Beech Dog. &c.

East Corrected between Secs. 20 & 29, T3N R5E.  
41.19 1/2 Set q. Sec. post at average dist. from which  
a Beech 16 in. dia. bears S 86 W 17 lks. dist. &  
a Gum 14 " " " N 75 E 22 " "  
82.39 to Section Corner

West Between Secs. 19 & 30, T3N R5E.  
27.65 a W. Walnut 18 in. dia. bears  
40.00 Set the q. Sec. post. from which

T3N R5E. 2<sup>nd</sup> Mer. Indiana

	a Gum — in. dia. bears N 80 E 35 lks. dist. of
	a Sugar 24 " " " S 69 W 5 " "
56.11	a Beech 11 " " " " " "
61.50	a Creek bottom having kept on steep hill side
63.75	a run 15 lks. wide Course N. W.
64.85	a run " " " S. W.
66.00	a do " " " N. W.
73.01	a do " " " S. W.
81.50	a do " " " N. W.
84.20	Intersected the West boundary 62 lks. N. of post Set a post Cor. to Sec. 19 & 20, from which an Elm 14 in. dia. bears N 72 E 19 lks. dist. of a Gum 16 " " " S 71 E 9 " " Hilly rich soil timber Walnut ash Sugar Oak &c.
North	Between Sec. between Sec. 19 & 20, T3N R5E.
20.00	a Chestnut 48 in. dia.
40.00	Set the q. Sec. post, from which a Chestnut 40 in. dia. bears S 46 W 23 lks. dist. of a W. Oak 60 " " " N 61 E 29 " "
52.69	Chestnut 18 " " "
80.00	Set a post, Cor. to Sec. 17 & 18. 19 & 20, from which an Ash 13 in. dia. bears S 66 E 20 lks. dist. of a Gum 20 " " " N 71 W 50 " " Land rich steep high hills and ridges timber Beech Oak Ash Poplar Walnut &c. undg. Spice briar &c.
West	On Rand <sup>m</sup> . between Sec. 17 & 20, T3N R5E.
11.00	a run 4 lks. wide Course N. E.
24.00	a do 8 lks. " " " N. E.
40.00	Set temp. q. Sec. post
81.52	Intersected the N & S. line at the post Land hilly thin soil, timber W & B. Oak, Chestnut

T3N R5E 2<sup>d</sup> Mer. IndianaSome Beech, underg<sup>th</sup> Oak, Greenbrier

East Corrected between Sec<sup>s</sup>. 17 & 20, T3N. R5E.  
 40.76 At the q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 18 in. diam. bears N39°W 11 lks. dist. of  
 a Do 10 " " " S27°W 20 " "  
 81.52' to Sec. Corner.

West Between Sec<sup>s</sup>. 18 & 19, T3N. R5E.  
 29.00 a Chestnut 38 in. diam. in the line  
 40.00 At the q<sup>r</sup>. Sec. post, from which  
 a W. Oak 40 in. diam. bears N50°W 6 lks. dist. of  
 a Do 9 " " " S50°E 16 " "  
 50.00 a run 4 lks. wide Course S.W.  
 51.50 a Do — " " N.W.  
 56.42 a Sugar tree 24 in. diam.  
 59.75 a run 10 lks. wide Course S.W.  
 81.25 a Do 4 lks. " " S.W.  
 84.62 Intersected the West Boundary 132 lks. N. of post  
 At a post Cor. to Sec<sup>s</sup>. 18 & 19, from which  
 an Ironwood 6 in. diam. bears S50°E 29 lks. dist. of  
 a W. Oak 14 " " " N45°E 29 " "  
 Land hilly 1<sup>st</sup> part rich Soil, 2<sup>d</sup> part thin oak  
 ridges, timber Beech, Poplar, Chest. Oak, underg<sup>th</sup> Spruce

North Between Sec<sup>s</sup>. 17 & 18, T3N. R5E.  
 21.02 a Chest. Oak 20 in. diam. in the line  
 40.00 At the q<sup>r</sup>. Sec. post, from which  
 a R. Oak 36 in. diam. bears S51°E 11 lks. dist. of  
 a Beech 6 " " " N74°W 27 " "  
 40.80 a drain 4 lks. wide Course N.E.  
 54.50 a Do 4 lks. " " East  
 70.82 a Poplar 30 in. diam. in the line

T<sup>3</sup>N R5E 2<sup>d</sup> Mer. Indiana

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Sugar tree 20 in. diam. bear S 48 E 27 lks. dist. of  
 a Hickory 24 " " " N 84 W 19 " "  
 Land high poor steep hills, unfit for Cultivation  
 timber Chest. Oak & brushy, underg<sup>m</sup>. Oak, briars &c.

West On Rand<sup>m</sup>. between Sec. 8 & 17, T<sup>3</sup>N. R5E.

33.87 a run 10 lks. wide Course S. E.

35.30 a do — " " N. E.

40.00 Set temp<sup>y</sup>. of Sec. post

81.71 Intersected the N & S. line 10 lks. N. of the post  
 Land hilly & steep points, timber Oak, Beech &c.

East Corrected between Sec. 8 & 17, T<sup>3</sup>N. R5E.

40.85 1/2 Set the of. Sec. post at average dist. from which  
 a Hickory 16 in. diam. bear S 78 E 24 lks. dist. of  
 a Beech 12 " " " N 83 W 27 " " in the  
 knobs

81.71 to Section Corner.

West Between Sec. 7 & 18, T<sup>3</sup>N. R5E.

26.22 a Chest. Oak 20 in. diam. in the line

40.00 Set the of. Sec. post, from which  
 an Ironwood 5 in. diam. bear S 73 E 5 lks. dist. of  
 a do 6 " " " N 60 W 22 " "

47.56 a R. Oak 24 " "

65.15 a line running N & S. in edge over

85.50 Intersected the N. boundary 350 lks. N. of post

Set a post, Cor. to Sec. 7 & 18, from which

a W. Oak 14 in. diam. bear S 67 E 14 lks. dist. of

a do 26 " " " N 49 E 19 " "

Land very thin unfit for Cultivation timber  
 Oak &c. underg<sup>m</sup>. Oak &c.



T3N R5E 2<sup>d</sup> Mer. Indiana

North Between Sect. 7 & 8, T3N, R5E.

16.94 a Chest. Oak 18 in. diam.

30.00 a run 6 lks. wide Course N.W.

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Chest. Oak 20 in. diam. bears S 73 E 18 lks. dist. &  
a Do 11 " " " N 60 W 15 " "

65.77 a Chest Oak 20 " "

80.00 Set a post Cor. to Sect. 5, 6, 7 & 8, from which  
a Chest. Oak 16 in. diam. bears S 6 E 11 lks. dist. &  
a Do 26 " " " N 31 W 19 " "

Land poor Soil, Timber Chest. Oak, high steep  
hills, and points unfit for Cultivation and g<sup>r</sup> trees &c

West On Rand<sup>m</sup>. Between Sect. 5 & 8, T3N, R5E.

4.00 a run 10 lks. wide Course E.

10.25 a Do — " " N 80 E.

40.00 Set temp<sup>y</sup> q<sup>r</sup>. Sec. post

57.04 a run 8 lks. wide Course S. E.

81.80 Intersected the N & S. line 40 lks. N. of the post  
Land high steep poor hills, unfit for cultivation

East Corrected between Sect. 5 & 8, T3N, R5E.

40.90 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 5 in. diam. bears N 78 E 6 lks. dist. &  
a P. Oak 9 " " " N 86 W 20 " "

81.80 to Sec. Corner.

West Between Sect. 6 & 7, T3N, R5E.

19.75 a P. Oak 30 in. diam.

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Chest. Oak 18 in. diam. bears S 39 E 24 lks. dist. &  
an Ironwood 7 " " " N 51 W 12 " "

84.60 a run 6 lks. wide Course S 80 W.

T3N R5E. 2<sup>d</sup> Mer. Indiana

85.50 Intersected the N. boundary 5.10 lks. N. of post  
 at a post Cor. to Sec. 6 of 7, from which  
 a Beech 8 in. dia. bears N66E 40 lks. dist. &  
 a Poplar 40 " " " S14E 108 " "  
 Land timber &c. Much as the last mile

North Between Sec. 5 & 6, T3N, R5E.

20.29 a W. Oak 18 in. dia.

40.00 At the q. Sec. post, from which  
 a Chest. Oak 16 in. dia. bears S22W 27 lks. dist. &  
 a Do 8 " " " N67W 15 " "

64.50 a Beech 36 " "

73.50 a run 15 lks. wide Course N.E.

75.50 a Do 10 " " " S80E.

79.08 Intersected the N. boundary 15.12 lks. E. of post  
 at a post Cor. to Sec. 5 of 6, from which  
 a Beech 26 in. dia. is marked for the Corner  
 Land much as the last mile steep high points  
 Finished this Township January 1<sup>st</sup> 1807  
 Surveyed by Joseph A. Larwill, and  
 Jacob Fowler, Dep. Surveyors

---

---

Comp.

I Certify that the foregoing transcript of field Notes of  
Township N. 3 North, of Range N. 5 East 2<sup>d</sup> Mer.  
Indiana, has been Comp<sup>d</sup>. with the original Notes in  
this office and found to be Correct.

Surveyor General's Office  
Cincinnati, Sept 28<sup>th</sup> 1841

E. S. Haines

Sur. Genl.